


NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.

CUSTOMER PART No.	CUSTOMER	<b>CAN ART STD.</b>	DIE No.	<b>ES05196</b>
DESCRIPTION			PROPOSAL No.	<b>S-347</b>



WALL THICKNESS 0.095 (2.41) EXCEPT AS SHOWN

DATE	REV	DESCRIPTION	BY		
EST.AREA	0.276	IN. <sup>2</sup>	EST.AREA	178	MM. <sup>2</sup>
EST.WT.	0.326	LBS/FT.	EST.WT.	0.485	KG/M.
EST.PER.	6.000	IN.	EST.PER.	152.4	MM.
OUT PER.		IN.	OUT PER.		MM.
C.C.D.	2.236	IN.	C.C.D.	57	MM.
FACTOR	18	FINISH	M/F	ALLOY & TEMP.	6063
CKD BY		SCALE	2:1	DWN BY	G.M.
				DATE	08/14/89

# CAN ART

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE  
BRAMPTON, ONT L6T 5M1  
TEL. NO. (905) 791-1464  
FAX NO. (905) 791-9151  
E-MAIL: canart@canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_