

CUSTOMER PART No.

CUSTOMER

CAN ART OPEN

DIE No.

ES60450


DESCRIPTION

BOTTOM RAIL

PROPOSAL No.

S-51000

"CRITICAL EXPOSED SURFACE"



PACKING INSTRUCTIONS

WALL THICKNESS (AS SHOWN) EXCEPT AS SHOWN

DATE	REV	DESCRIPTION	BY
EST.AREA	0.735	IN. ²	EST.AREA 473.955
EST.WT.	0.882	LBS/FT.	EST.WT. 1.312
EST.PER.	11.225	IN.	EST.PER. 285.105
OUT PER.		IN.	OUT PER.
C.C.D.	5.135	IN.	C.C.D. 130.420
FACTOR 13	FINISH M/F	ALLOY & TEMP. 6063-T6	
CKD BY	SCALE 1:1	DWN BY L.G.	DATE 11/13/2002

CAN ART

ALUMINUM EXTRUSION INC.

428 JUTRAS DRIVE S.
WINDSOR, ONT. N8N 5C5
TEL. NO. (519) 727-4399
FAX NO. (519) 727-6434
E-MAIL: canart@canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _____ DATE: _____

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.